European Commission

eurostat Your key to E

European Commission > Eurostat > ... > Database

| Home | Statistics | Publications | About Eurostat | Help |

## Health

Introduction

Public health

Main tables

Database

Health and safety at work

Data

Main tables

Database

Publications

## Database

🔍

### Explanation

### Table of Content

- 📁 **Public health** (hlth)
  - 📄 Structural indicators on health (hlth_hlye) Ⓜ ⓘ
  - 📁 Causes of death (hlth_cdeath) Ⓜ
    - 📄 Causes of death - Absolute number (Annual data) (hlth_cd_anr) ⓘ
    - 📄 Causes of death - Standardised death rate (per 100,000 inhabitants) (Annual Data) (hlth_cd_asdr) ⓘ
    - 📄 Causes of death by region - Crude death rate (per 100,000 inhabitants) (Annual data) (hlth_cd_acdr) ⓘ
    - 📄 Causes of death by region - Standardised death rate (per 100,000 inhabitants - 3 years average) (hlth_cd_ysdr1) ⓘ
    - 📄 Causes of death by region - Crude death rate (per 100,000 inhabitants - 3 years average) - Females (hlth_cd_ycdrf) ⓘ
    - 📄 Causes of death by region - Crude death rate (per 100,000 inhabitants - 3 years average) - Males (hlth_cd_ycdrm) ⓘ
    - 📄 Causes of death by region - Crude death rate (per 100,000 inhabitants - 3 years average) - Total (hlth_cd_ycdrt) ⓘ
    - 📄 Causes of death by region- Absolute Number (3 years average) - Females (hlth_cd_ynrf) ⓘ
    - 📄 Causes of death by region- Absolute Number (3 years average) - Males (hlth_cd_ynrm) ⓘ
    - 📄 Causes of death by region- Absolute Number (3 years average) - Total (hlth_cd_ynrt) ⓘ
  - 📁 Health care expenditure (hlth_sha) Ⓜ
    - 📁 Health care expenditure - summary tables (hlth_sha_sum)
      - 📄 Health care expenditure by provider (hlth_sha_hp) ⓘ
      - 📄 Health care expenditure by function (hlth_sha_hc) ⓘ
      - 📄 Health care expenditure by financing agent (hlth_sha_hf) ⓘ
      - 📄 Health care expenditure on long term care (hlth_sha_ltc) ⓘ
    - 📁 Health care expenditure, in millions (hth_sha_mil)
      - 📄 Expenditure of selected health care functions by providers of health care, in millions (hlth_sha1m) ⓘ
      - 📄 Expenditure of selected health care functions by financing agents in health care, in millions (hlth_sha2m) ⓘ
      - 📄 Expenditure of providers of health care by financing agents in health care, in millions (hlth_sha3m) ⓘ

- **Health care expenditure, in percentage (hlth_sha_perc)**
  - Expenditure of selected health care functions by providers of health care, in percentage (hlth_sha1p)
  - Expenditure of selected health care functions by financing agents in health care, in percentage (hlth_sha2p)
  - Expenditure of providers of health care by financing agents in health care, in percentage (hlth_sha3p)
- **Health care expenditure, per inhabitant (hlth_sha_inh)**
  - Expenditure of selected health care functions by providers of health care, per inhabitant (hlth_sha1h)
  - Expenditure of selected health care functions by financing agents in health care, per inhabitant (hlth_sha2h)
  - Expenditure of providers of health care by financing agents in health care, per inhabitant (hlth_sha3h)
- **Health care: resources and patients (non-expenditure data) (hlth_care)**
  - **Health care staff (hlth_staff)**
    - Health personnel (excluding nursing and caring professionals) - Absolute numbers and rate per 100,000 inhabitants (hlth_rs_prs)
    - Nursing and caring professionals - Absolute numbers and rate per 100,000 inhabitants (hlth_rs_prsns)
    - Health personnel by region - Absolute numbers and rate per 100,000 inhabitants (hlth_rs_prsrg)
    - Physicians by medical speciality - Absolute numbers and rate per 100,000 inhabitants (hlth_rs_spec)
    - Physicians by age and sex - Absolute numbers (hlth_rs_phys)
  - **Health care facilities (hlth_facil)**
    - Hospital beds (HP.1) - Absolute numbers and rate per 100,000 inhabitants (hlth_rs_bds)
    - Hospital beds (HP.1) by region - Absolute numbers and rate per 100,000 inhabitants (hlth_rs_bdsrg)
    - Medical technology - Absolute numbers and rate per 100,000 inhabitants (hlth_rs_equip)
  - **Hospital patients (hlth_inpat)**
    - Hospital discharges by diagnosis (ISHMT), in-patients, total number (hlth_co_disch1)
    - Hospital discharges by diagnosis (ISHMT) and region, in-patients, total number - Females (hlth_co_disch1f)
    - Hospital discharges by diagnosis (ISHMT) and region, in-patients, total number - Males (hlth_co_disch1m)
    - Hospital discharges by diagnosis (ISHMT) and region, in-patients, total number - Total (hlth_co_disch1t)
    - Hospital discharges by diagnosis (ISHMT), in-patients, per 100,000 inhabitants (hlth_co_disch2)
    - Hospital discharges by diagnosis (ISHMT) and region, in-patients, per 100,000 inhabitants - Females (hlth_co_disch2f)
    - Hospital discharges by diagnosis (ISHMT) and region, in-patients, per 100,000 inhabitants - Males (hlth_co_disch2m)
    - Hospital discharges by diagnosis (ISHMT) and region, in-patients, per 100,000 inhabitants - Total (hlth_co_disch2t)
    - In-patient average length of stay (ISHMT, in days) (hlth_co_inpst)
    - In-patient average length of stay (ISHMT, in days) by region - Females (hlth_co_inpstf)
    - In-patient average length of stay (ISHMT, in days) by region - Males (hlth_co_inpstm)
    - In-patient average length of stay (ISHMT, in days) by region - Total (hlth_co_inpstt)
    - Hospital days of in-patients (ISHMT) (hlth_co_hosday)
    - Hospital days of in-patients (ISHMT) by region - Females (hlth_co_hosdayf)
    - Hospital days of in-patients (ISHMT) by region - Males (hlth_co_hosdaym)
    - Hospital days of in-patients (ISHMT) by region - Total (hlth_co_hosdayt)
    - Hospital discharges by diagnosis (ISHMT), day cases, total number (hlth_co_disch3)
    - Hospital discharges by diagnosis (ISHMT) and region, day cases, total number - Females (hlth_co_disch3f)
    - Hospital discharges by diagnosis (ISHMT) and region, day cases, total number - Males (hlth_co_disch3m)
    - Hospital discharges by diagnosis (ISHMT) and region, day cases, total number - Total (hlth_co_disch3t)

Hospital discharges by diagnosis and average length of stay (1989-2002) (hlth_co_disch)

Main surgical operations and procedures performed in hospitals (by ICD-9-CM) (hlth_co_proc1)

Health care: indicators from surveys (SILC, HIS round 2004) (hlth_care1)

Health care: indicators from the SILC survey (from 2004 onwards) (hlth_care_silc)

People with unmet needs for medical examination by sex, age, reason and income quintile (%) (hlth_silc_08)

People with unmet needs for dental examination by sex, age, reason and income quintile (%) (hlth_silc_09)

Health care: indicators from the national Health Interview Surveys (HIS round 2004: period 1999-2003) (hlth_care_his)

Consultation of a medical doctor during the past 12 months by sex, age and activity status (%) (hlth_co_doca)

Consultation of a medical doctor during the past 12 months, by sex, age and educational level (%) (hlth_co_doce)

Consultation of a dentist during the past 12 months, by sex, age and activity status (%) (hlth_co_denta)

Consultation of a dentist during the past 12 months, by sex, age and educational level (%) (hlth_co_dente)

In-patient hospitalisation during the past 12 months by sex, age and activity status (%) (hlth_co_inpa)

In-patient hospitalisation during the past 12 months by sex, age and educational level (%) (hlth_co_inpe)

Day-patient hospitalisation during the past 12 months, by sex, age and activity status (%) (hlth_co_daya)

Day-patient hospitalisation during the past 12 months, by sex, age and educational level (%) (hlth_co_daye)

Breast cancer screening - mammography - by age and activity status (%) (hlth_tr_brsta)

Breast cancer screening - mammography - by age and educational level (%) (hlth_tr_brste)

Cervical cancer screening by age and activity status (%) (hlth_tr_cerva)

Cervical cancer screening by age and educational level (%) (hlth_tr_cerve)

Health status: indicators from surveys (SILC, HIS, LFS) (hlth_state)

Health status : indicators from the SILC survey (from 2004 onwards) (hlth_status_silc)

Self-perceived health by sex, age and activity status (%) (hlth_silc_01)

Self-perceived health by sex, age and educational level (%) (hlth_silc_02)

People having a long-standing illness or health problem, by sex, age and activity status (%) (hlth_silc_04)

People having a long-standing illness or health problem, by sex, age and educational level (%) (hlth_silc_05)

Self-perceived limitations in daily activities (activity restriction for at least the past 6 months) by sex, age and activity status (%) (hlth_silc_06)

Self-perceived limitations in daily activities (activity restriction for at least the past 6 months) by sex, age and educational level (%) (hlth_silc_07)

Self-perceived health by sex, age and income quintile (%) (hlth_silc_10)

People having a long-standing illness or health problem, by sex, age and income quintile (%) (hlth_silc_11)

Self-perceived limitations in daily activities (activity restriction for at least the past 6 months), by sex, age class and income quintile (%) (hlth_silc_12)

Health status: indicators from the national Health Interview Surveys (HIS round 2004: period 1999-2003) (hlth_status_his)

Body mass index (BMI) by sex, age and activity status (%) (hlth_ls_bmia)

Body mass index (BMI) by sex, age and educational level (%) (hlth_ls_bmie)

Self-perceived health by sex, age and activity status (%) (hlth_ls_spa)

Self-perceived health by sex, age and educational level (%) (hlth_ls_spe)

People having a long-standing illness or health problem, by sex, age and activity status (%) (hlth_db_cha)

People having a long-standing illness or health problem, by sex, age and educational level (%) (hlth_db_che)

Activity restriction for at least the last 6 months by sex, age and activity status (%) (hlth_db_ara)

Activity restriction for at least the last 6 months by sex, age and educational level (%) (hlth_db_are)

Cutdown in activities over the past two weeks because of health problems, by sex, age and activity status (%) (hlth_db_cda)

Cutdown in activities over the past two weeks because of health problems, by sex, age and educational level (%) (hlth_db_cde)

Smokers by number of cigarettes, by sex, age and activity status (%) (hlth_ls_cgsmka)

Smokers by number of cigarettes, by sex, age and educational level (%) (hlth_ls_cgsmke)

Previous smoking behavior of non-smokers by sex, age and activity status (%) (hlth_ls_pssmka)

Previous smoking behavior of non-smokers by sex, age and educational level (%) (hlth_ls_pssmke)

Smokers by sex, age and activity status (%) (hlth_ls_smka)

Smokers by sex, age and educational level (%) (hlth_ls_smke)

Consumption of alcohol (percentage of people who drunk any alcohol the past 12 months) by sex, age and activity status (%) (hlth_ls_dk12ma)

Consumption of alcohol (percentage of people who drunk any alcohol the past 12 months) by sex, age and educational level (%) (hlth_ls_dk12me)

Employment of disabled persons (LFS adhoc module 2002) (hlth_empdis)

Prevalence percentages of disability by economic activity (NACE), sex and age group (hlth_db_emnaag)

Prevalence percentages of disability by occupation, sex and age group (hlth_db_emocag)

Prevalence percentages of disability by marital status, sex and age group (hlth_db_emmaag)

Prevalence percentages of disability by education level, sex and age group (hlth_db_emedag)

Prevalence percentages of disability by activity status, sex and age group (hlth_db_emacag)

Prevalence percentages of disability by region (NUTS 2), economic activity (NACE) and sex (hlth_db_emrena)

Percentual distribution of types of disability by sex and age group (hlth_db_emtyag)

Percentual distribution of causes of disability by economic activity (NACE) and sex (hlth_db_emcana)

Percentual distribution of duration (in years) since onset of disability by cause of disability and sex (hlth_db_emduca)

Percentual distribution of assistance provided among those with disability (and employed) by country and sex (hlth_db_emaspr)

Percentual distribution of types of assistance provided by country and sex (hlth_db_emaspt)

Percentual distribution of assistance needed for those with disability (and not employed) by country and sex (hlth_db_emasne)

Percentual distribution of types of assistance needed by country and sex (hlth_db_emasnt)

Percentual distribution of severities of disability by sex and age group (hlth_db_emseag)

Percentual distribution of activity status by severity of disability, sex and age group (hlth_db_emacse)

Last update
15.03.2010