


[Home](#)
[Statistics](#)
[Publications](#)
[About Eurostat](#)
[Help](#)


Health

[Introduction](#)
[Public health](#)
[Main tables](#)
[Database](#)
[Health and safety at work](#)
[Data](#)
[Main tables](#)
[Database](#)
[Publications](#)

Database



Explanation

Table of Content

- Public health (hlth)**
 - Structural indicators on health (hlth_hlye)**
 - Causes of death (hlth_cdeath)**
 - Causes of death - Absolute number (Annual data) (hlth_cd_anr)
 - Causes of death - Standardised death rate (per 100,000 inhabitants) (Annual Data) (hlth_cd_asdr)
 - Causes of death by region - Crude death rate (per 100,000 inhabitants) (Annual data) (hlth_cd_acdr)
 - Causes of death by region - Standardised death rate (per 100,000 inhabitants - 3 years average) (hlth_cd_ysdr1)
 - Causes of death by region - Crude death rate (per 100,000 inhabitants - 3 years average) - Females (hlth_cd_ycdrf)
 - Causes of death by region - Crude death rate (per 100,000 inhabitants - 3 years average) - Males (hlth_cd_ycdrm)
 - Causes of death by region - Crude death rate (per 100,000 inhabitants - 3 years average) - Total (hlth_cd_ycdrt)
 - Causes of death by region- Absolute Number (3 years average) - Females (hlth_cd_ynrf)
 - Causes of death by region- Absolute Number (3 years average) - Males (hlth_cd_ynrm)
 - Causes of death by region- Absolute Number (3 years average) - Total (hlth_cd_ynrt)
 - Health care expenditure (hlth_sha)**
 - Health care expenditure - summary tables (hlth_sha_sum)**
 - Health care expenditure by provider (hlth_sha_hp)
 - Health care expenditure by function (hlth_sha_hc)
 - Health care expenditure by financing agent (hlth_sha_hf)
 - Health care expenditure on long term care (hlth_sha_ltc)
 - Health care expenditure, in millions (hlth_sha_mil)**
 - Expenditure of selected health care functions by providers of health care, in millions (hlth_sha1m)
 - Expenditure of selected health care functions by financing agents in health care, in millions (hlth_sha2m)
 - Expenditure of providers of health care by financing agents in health care, in millions (hlth_sha3m)

Health care expenditure, in percentage (hlth_sha_perc)
Expenditure of selected health care functions by providers of health care, in percentage (hlth_sha1p)
Expenditure of selected health care functions by financing agents in health care, in percentage (hlth_sha2p)
Expenditure of providers of health care by financing agents in health care, in percentage (hlth_sha3p)
Health care expenditure, per inhabitant (hlth_sha_inh)
Expenditure of selected health care functions by providers of health care, per inhabitant (hlth_sha1h)
Expenditure of selected health care functions by financing agents in health care, per inhabitant (hlth_sha2h)
Expenditure of providers of health care by financing agents in health care, per inhabitant (hlth_sha3h)
Health care: resources and patients (non-expenditure data) (hlth_care)
Health care staff (hlth_staff)
Health personnel (excluding nursing and caring professionals) - Absolute numbers and rate per 100,000 inhabitants (hlth_rs_prs)
Nursing and caring professionals - Absolute numbers and rate per 100,000 inhabitants (hlth_rs_prsns)
Health personnel by region - Absolute numbers and rate per 100,000 inhabitants (hlth_rs_prsrg)
Physicians by medical speciality - Absolute numbers and rate per 100,000 inhabitants (hlth_rs_spec)
Physicians by age and sex - Absolute numbers (hlth_rs_phys)
Health care facilities (hlth_facil)
Hospital beds (HP.1) - Absolute numbers and rate per 100,000 inhabitants (hlth_rs_bds)
Hospital beds (HP.1) by region - Absolute numbers and rate per 100,000 inhabitants (hlth_rs_bdsrg)
Medical technology - Absolute numbers and rate per 100,000 inhabitants (hlth_rs_equip)
Hospital patients (hlth_inpat)
Hospital discharges by diagnosis (ISHMT), in-patients, total number (hlth_co_disch1)
Hospital discharges by diagnosis (ISHMT) and region, in-patients, total number - Females (hlth_co_disch1f)
Hospital discharges by diagnosis (ISHMT) and region, in-patients, total number - Males (hlth_co_disch1m)
Hospital discharges by diagnosis (ISHMT) and region, in-patients, total number - Total (hlth_co_disch1t)
Hospital discharges by diagnosis (ISHMT), in-patients, per 100,000 inhabitants (hlth_co_disch2)
Hospital discharges by diagnosis (ISHMT) and region, in-patients, per 100,000 inhabitants - Females (hlth_co_disch2f)
Hospital discharges by diagnosis (ISHMT) and region, in-patients, per 100,000 inhabitants - Males (hlth_co_disch2m)
Hospital discharges by diagnosis (ISHMT) and region, in-patients, per 100,000 inhabitants - Total (hlth_co_disch2t)
In-patient average length of stay (ISHMT, in days) (hlth_co_inpst)
In-patient average length of stay (ISHMT, in days) by region - Females (hlth_co_inpstf)
In-patient average length of stay (ISHMT, in days) by region - Males (hlth_co_inpstm)
In-patient average length of stay (ISHMT, in days) by region - Total (hlth_co_inpstt)
Hospital days of in-patients (ISHMT) (hlth_co_hosday)
Hospital days of in-patients (ISHMT) by region - Females (hlth_co_hosdayf)
Hospital days of in-patients (ISHMT) by region - Males (hlth_co_hosdaym)
Hospital days of in-patients (ISHMT) by region - Total (hlth_co_hosdayt)
Hospital discharges by diagnosis (ISHMT), day cases, total number (hlth_co_disch3)
Hospital discharges by diagnosis (ISHMT) and region, day cases, total number - Females (hlth_co_disch3f)
Hospital discharges by diagnosis (ISHMT) and region, day cases, total number - Males (hlth_co_disch3m)
Hospital discharges by diagnosis (ISHMT) and region, day cases, total number - Total (hlth_co_disch3t)

	Hospital discharges by diagnosis and average length of stay (1989-2002) (hlth_co_disch)	
	Main surgical operations and procedures performed in hospitals (by ICD-9-CM) (hlth_co_proc1)	
	Health care: indicators from surveys (SILC, HIS round 2004) (hlth_care1)	
	Health care: indicators from the SILC survey (from 2004 onwards) (hlth_care_silc)	
	People with unmet needs for medical examination by sex, age, reason and income quintile (%) (hlth_silc_08)	
	People with unmet needs for dental examination by sex, age, reason and income quintile (%) (hlth_silc_09)	
	Health care: indicators from the national Health Interview Surveys (HIS round 2004: period 1999-2003) (hlth_care_his)	
	Consultation of a medical doctor during the past 12 months by sex, age and activity status (%) (hlth_co_docca)	
	Consultation of a medical doctor during the past 12 months, by sex, age and educational level (%) (hlth_co_doce)	
	Consultation of a dentist during the past 12 months, by sex, age and activity status (%) (hlth_co_denta)	
	Consultation of a dentist during the past 12 months, by sex, age and educational level (%) (hlth_co_dente)	
	In-patient hospitalisation during the past 12 months by sex, age and activity status (%) (hlth_co_inpa)	
	In-patient hospitalisation during the past 12 months by sex, age and educational level (%) (hlth_co_inpe)	
	Day-patient hospitalisation during the past 12 months, by sex, age and activity status (%) (hlth_co_daya)	
	Day-patient hospitalisation during the past 12 months, by sex, age and educational level (%) (hlth_co_daye)	
	Breast cancer screening - mammography - by age and activity status (%) (hlth_tr_brsta)	
	Breast cancer screening - mammography - by age and educational level (%) (hlth_tr_brste)	
	Cervical cancer screening by age and activity status (%) (hlth_tr_cerva)	
	Cervical cancer screening by age and educational level (%) (hlth_tr_cerve)	
	Health status: indicators from surveys (SILC, HIS, LFS) (hlth_state)	
	Health status : indicators from the SILC survey (from 2004 onwards) (hlth_status_silc)	
	Self-perceived health by sex, age and activity status (%) (hlth_silc_01)	
	Self-perceived health by sex, age and educational level (%) (hlth_silc_02)	
	People having a long-standing illness or health problem, by sex, age and activity status (%) (hlth_silc_04)	
	People having a long-standing illness or health problem, by sex, age and educational level (%) (hlth_silc_05)	
	Self-perceived limitations in daily activities (activity restriction for at least the past 6 months) by sex, age and activity status (%) (hlth_silc_06)	
	Self-perceived limitations in daily activities (activity restriction for at least the past 6 months) by sex, age and educational level (%) (hlth_silc_07)	
	Self-perceived health by sex, age and income quintile (%) (hlth_silc_10)	
	People having a long-standing illness or health problem, by sex, age and income quintile (%) (hlth_silc_11)	
	Self-perceived limitations in daily activities (activity restriction for at least the past 6 months), by sex, age class and income quintile (%) (hlth_silc_12)	
	Health status: indicators from the national Health Interview Surveys (HIS round 2004: period 1999-2003) (hlth_status_his)	
	Body mass index (BMI) by sex, age and activity status (%) (hlth_ls_bmia)	
	Body mass index (BMI) by sex, age and educational level (%) (hlth_ls_bmie)	
	Self-perceived health by sex, age and activity status (%) (hlth_ls_spa)	
	Self-perceived health by sex, age and educational level (%) (hlth_ls_spe)	
	People having a long-standing illness or health problem, by sex, age and activity status (%) (hlth_db_cha)	
	People having a long-standing illness or health problem, by sex, age and educational level (%) (hlth_db_che)	
	Activity restriction for at least the last 6 months by sex, age and activity status (%) (hlth_db_ara)	

	Activity restriction for at least the last 6 months by sex, age and educational level (%) (hlth_db_are) 
	Cutdown in activities over the past two weeks because of health problems, by sex, age and activity status (%) (hlth_db_cda) 
	Cutdown in activities over the past two weeks because of health problems, by sex, age and educational level (%) (hlth_db_cde) 
	Smokers by number of cigarettes, by sex, age and activity status (%) (hlth_ls_cgsmka) 
	Smokers by number of cigarettes, by sex, age and educational level (%) (hlth_ls_cgsmke) 
	Previous smoking behavior of non-smokers by sex, age and activity status (%) (hlth_ls_pssmka) 
	Previous smoking behavior of non-smokers by sex, age and educational level (%) (hlth_ls_pssmke) 
	Smokers by sex, age and activity status (%) (hlth_ls_smka) 
	Smokers by sex, age and educational level (%) (hlth_ls_smke) 
	Consumption of alcohol (percentage of people who drunk any alcohol the past 12 months) by sex, age and activity status (%) (hlth_ls_dk12ma) 
	Consumption of alcohol (percentage of people who drunk any alcohol the past 12 months) by sex, age and educational level (%) (hlth_ls_dk12me) 
	Employment of disabled persons (LFS adhoc module 2002) (hlth_empdis) 
	Prevalence percentages of disability by economic activity (NACE), sex and age group (hlth_db_emnaag) 
	Prevalence percentages of disability by occupation, sex and age group (hlth_db_emocag) 
	Prevalence percentages of disability by marital status, sex and age group (hlth_db_emmaag) 
	Prevalence percentages of disability by education level, sex and age group (hlth_db_emedag) 
	Prevalence percentages of disability by activity status, sex and age group (hlth_db_emacag) 
	Prevalence percentages of disability by region (NUTS 2), economic activity (NACE) and sex (hlth_db_emrena) 
	Percentual distribution of types of disability by sex and age group (hlth_db_emtyag) 
	Percentual distribution of causes of disability by economic activity (NACE) and sex (hlth_db_emcana) 
	Percentual distribution of duration (in years) since onset of disability by cause of disability and sex (hlth_db_emduca) 
	Percentual distribution of assistance provided among those with disability (and employed) by country and sex (hlth_db_emaspr) 
	Percentual distribution of types of assistance provided by country and sex (hlth_db_emaspt) 
	Percentual distribution of assistance needed for those with disability (and not employed) by country and sex (hlth_db_emasne) 
	Percentual distribution of types of assistance needed by country and sex (hlth_db_emasnt) 
	Percentual distribution of severities of disability by sex and age group (hlth_db_emseag) 
	Percentual distribution of activity status by severity of disability, sex and age group (hlth_db_emacse) 

Last update
15.03.2010